




Consolated Bearing CO.,LTD



NTN 6310ZZC3/EM Single Row Ball Bearings

Bearing No. 6310ZZC3/EM

6310ZZC3/EM Bearing 2D drawings and 3D CAD models

Category	Single Row Ball Bearings
Inventory	4.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	1.08
EAN	4547359578027
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C3-Loose
Inch - Metric	Metric
Long Description	50MM Bore; 110MM Outside Diameter; 27MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C3-Loose Internal Clearance; Stee
Other Features	Deep Groove Electric Motor Grade
Category	Single Row Ball Bearing
UNSPSC	31171504



Consolated Bearing CO.,LTD

Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	6310ZZC3/EM
Weight / LBS	2.381
Outer Race Width	1.063 Inch 27 Millimeter
D	4.331 Inch 110 Millimeter
Inner Race Width	0 Inch 0 Millimeter
d	1.969 Inch 50 Millimeter
bore diameter:	50 mm
precision rating:	ISO Class 0
outside diameter:	110 mm
finish/coating:	Uncoated
overall width:	27 mm
bearing material:	High Carbon Chrome Steel
bore type:	Round
cage material:	Steel
closure type:	Double Shielded
inner ring width:	27 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	27 mm
snap ring included:	Without Snap Ring
maximum rpm (grease):	6400 rpm
internal clearance:	C3
fillet radius:	2 mm
operating temperature range:	-40 to 120 ° C
maximum rpm:	7500 RPM
dynamic load capacity:	62000 N
series:	63
static load capacity:	38500 N



Consolated Bearing CO.,LTD

manufacturer product page:

[Click here](#)