



Consolated Bearing CO.,LTD



MR1213EL Bearing 2D drawings and 3D CAD models

2.559 Inch | 65 Millimeter x 4.724 Inch | 120
Millimeter x 0.906 Inch | 23 Millimeter NTN
MR1213EL Cylindrical Roller Bearings

Bearing No. MR1213EL

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	1.14
Product Group	B04144
Bore Profile	Straight
Cage Material	Steel
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - One Side
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	1 Rib Inner Ring 2 Rib Outer Ring Cage on Outer Ring ID
Long Description	65MM Bore; Straight Bore Profile; 120MM Outside Diameter; 23MM Width; Steel Cage Material; RBEC 1 ISO P0; Single Row;



Consolated Bearing CO.,LTD

	Inner Ring - One Side Separable; No Snap Ring; Relubricatable; C0-Medium Intern
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	MR1213EL
Weight / LBS	2.517
d	2.559 Inch 65 Millimeter
D	4.724 Inch 120 Millimeter
B	0.906 Inch 23 Millimeter
bore diameter:	65 mm
static load capacity:	135000 N
outside diameter:	120 mm
precision rating:	ISO Class 0
overall width:	23 mm
bearing material:	Hardened Alloy Steel
flanges:	(2) Outer Ring, (1) Inner Ring
cage material:	Composite Steel
bore type:	Straight
finish/coating:	Uncoated
number of rows:	1
closure type:	Open
internal clearance:	CN
outer ring width:	23 mm
ring separation:	Separable Inner Ring
fillet radius:	2.54 mm
operating temperature range:	-40 to 120 ° C



Consolated Bearing CO.,LTD

series:	MR
dynamic load capacity:	108000 N
manufacturer product page:	Click here