



Consolated Bearing CO.,LTD

NTN UCFL214D1 Flange Block Bearings



Bearing No. UCFL214D1

UCFL214D1 Bearing 2D drawings and 3D CAD models

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	5.45
EAN	4547359001105
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	20 Millimeter
Relubricatable	Yes
Insert Part Number	UC214D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch - Metric	Metric
Long Description	2 Bolt Flange Block; 70MM Bore; 215MM Bolt Circle; 216MM Bolt Spacing; 1 Piece Solid; Set Screw Mount; Cast Iron; Ball Bearing; 74.6MM Length Thru Bore; Relubricatable; Single Lip Land Riding Seals



Consolated Bearing CO.,LTD

Other Features	Single Row Light Duty Wide Inner Race Has Flinger
Category	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	UCFL214D1
Weight / LBS	12
d	2.756 Inch 70 Millimeter
Nominal Bolt Circle Diameter Round	8.5 Inch 215 Millimeter
Bolt Spacing	8.504 Inch 216 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
D	2.937 Inch 74.6 Millimeter
bore diameter:	70 mm
radial dynamic load capacity:	14000 lb
bolt center-to-center length:	8.5000 in
radial static load capacity:	9900 lb
overall length/diameter:	10.4375 in
seal type:	Flinger
bore type:	Round
length through bore:	2-31/32 in
duty type:	Light Duty
finish/coating:	Uncoated
mounting type:	Two-Bolt Flange
lubrication type:	Lubrication Fitting
housing material:	Cast Iron
series:	UCFL2



Consolated Bearing CO.,LTD

locking device:	Set Screw
standards met:	ISO, AFBMA
expansion type:	Non-Expansion Bearing (Fixed)
replacement bearing:	UC214-212D1